

WELCOME

TO



This is an Education Platform

We Provide PDF Notes for Pharmacy Students

Web Site <http://www.fdspharmacy.in/>

You tube <https://www.youtube.com/c/FDSpharmacy>

Telegram <https://t.me/Fdspharmacy>

App <https://play.google.com/store/apps/details?id=com.FDSPharmacyMedia.FDSPharmacy>

E-mail fdsparmacyinfo@gmail.com

Bachelor of Pharmacy Communication skills

NOTES

✓ Unit 1 **All Unit**
✓ Unit 2 **in**
✓ Unit 3 **One PDF**
✓ Unit 4
✓ Unit 5

Visit our Website
WWW.fdspharmacy.in



Bachelor of Pharmacy Human Anatomy and Physiology I

NOTES

✓ Unit 1 **All Unit**
✓ Unit 2 **in**
✓ Unit 3 **One PDF**
✓ Unit 4
✓ Unit 5

Visit our Website
WWW.fdspharmacy.in



✓ Unit 1 **All Unit**
✓ Unit 2 **in**
✓ Unit 3 **One PDF**
✓ Unit 4
✓ Unit 5

Visit our Website
WWW.fdspharmacy.in



Bachelor of Pharmacy Pharmaceutical Inorganic Chemistry

NOTES

✓ Unit 1 **All Unit**
✓ Unit 2 **in**
✓ Unit 3 **One PDF**
✓ Unit 4
✓ Unit 5

Visit our Website
WWW.fdspharmacy.in



Bachelor of Pharmacy Remedial Biology

NOTES

✓ Unit 1 **All Unit**
✓ Unit 2 **in**
✓ Unit 3 **One PDF**
✓ Unit 4
✓ Unit 5

Visit our Website
WWW.fdspharmacy.in



Bachelor of Pharmacy Pharmaceutics I

NOTES

✓ Unit 1 **All Unit**
✓ Unit 2 **in**
✓ Unit 3 **One PDF**
✓ Unit 4
✓ Unit 5

Visit our Website
WWW.fdspharmacy.in





D.Pharma B.Pharma

- 👉 PDF Notes
- 👉 Practical Manual
- 👉 Important Questions
- 👉 Assignment etc



Download Now



www.fdpharmacy.in

PHARMACEUTICAL INORGANIC CHEMISTRY

UNIT 4

TOPIC :

- **Emetics : Copper sulphate*, Sodium potassium tartarate**



EMETICS

- Emetics are agents or drugs that induce vomiting (medically known as emesis).
They are used to empty the stomach contents, especially in cases of poisoning or overdose.
- Vomiting is a protective, involuntary reflex mechanism that helps to eliminate toxic or unwanted substances from the stomach.

Mechanism of Action of Emetics

Emetics work by either of two major pathways:

1. Central Acting Emetics:

- These act directly on the Chemoreceptor Trigger Zone (CTZ) located in the medulla oblongata (part of the brain).
- They stimulate the vomiting center via dopaminergic or other receptors, leading to emesis.

Example

- **Apomorphine** (acts on dopamine receptors in CTZ)

2. Peripheral Acting Emetics:

- These irritate the mucosa of the stomach or gastrointestinal tract (GIT)
- This irritation stimulates vagal afferent nerves, which in turn activate the vomiting center in the brain.

Examples

- **Ipecacuanha (syrup)**
- **Copper sulfate**
- **Zinc sulfate**

Uses of Emetics

- ✓ In Acute Poisoning
 - To remove poison from the stomach (only when poison is non-corrosive and patient is conscious)
- ✓ In Drug Overdose
 - To remove excess drug before absorption
- ✓ As an Expectorant (Low Dose)
 - Stimulates respiratory tract secretion in productive cough
- ✓ To empty the stomach before surgery or diagnostic tests (rare use)



COPPER SULPHATE

- Chemical Formula: $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$
- Molecular Weight: 249.68 g/mol (not 159.6 – that's for anhydrous form)
- Synonym: Blue Vitriol or Bluestone

Method of Preparation

→ Copper sulphate is prepared by reacting cupric carbonate (CuCO_3) with dilute sulfuric acid (H_2SO_4):



→ It can also be prepared by the action of dilute sulfuric acid on metallic copper in the presence of oxygen or oxidizing agent.

Physical Properties

- Appears as bright blue crystalline granules or blue powder
- Odourless
- Soluble in water, Insoluble in alcohol
- Loses water of crystallization upon heating and turns white (forms anhydrous copper sulphate)

Chemical Properties

Hydrated and Anhydrous Form:

- Copper sulphate pentahydrate ($\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$) is blue in color.
- Upon heating, it loses water of crystallization and becomes white anhydrous copper sulphate (CuSO_4):



Uses

- ✓ As an Emetic (Peripheral Acting):
 - Used in acute poisoning cases to induce vomiting (less common today due to toxicity concerns)
- ✓ As a Germicide and Fungicide:
 - Used to kill bacteria, fungi, and algae (e.g., in agriculture, water treatment)


SODIUM POTASSIUM TARTRATE

- Chemical Formula: $\text{KNaC}_4\text{H}_4\text{O}_6 \cdot 4\text{H}_2\text{O}$
- Molecular Weight: 210.16 g/mol
- Synonym: Rochelle Salt

Preparation

→ Sodium potassium tartrate is prepared by the reaction of sodium carbonate with a suspension of potassium hydrogen tartrate.

- Sodium carbonate is added to the potassium tartrate suspension.
- The mixture is heated by boiling, then allowed to cool.
- Upon cooling, crystals of sodium potassium tartrate are formed.



Physical Properties

- Occurs as white or colorless crystalline powder
- Odourless
- Has a cool, saline taste
- Soluble in water
- Insoluble in alcohol

Chemical Properties

- Forms neutral aqueous solutions
- On heating, it may decompose and release carbon dioxide
- Can act as a complexing agent in Fehling's and Benedict's reagent (helps keep copper in solution)

Uses

- ✓ As an Emetic
 - In high doses, induces vomiting (less commonly used now)
- ✓ As a Laxative
 - Acts as a mild saline cathartic, helping in relieving constipation
- ✓ In Effervescent Powders
 - Used with acids and carbonates to produce carbon dioxide during effervescence